



# Engine Management System

## VW SIMOS 18.1 EA888

<b>Project</b>	VW SIMOS 18.1 EA888
<b>Customer</b>	Audi
<b>Software Version</b>	SC8L50Y0
<b>Date</b>	2014-11-10
<b>Document Key</b>	10213413 SPE 000 DE

Transmittal, reproduction, dissemination and/or editing of this document as well as utilisation of its contents and communication there of to others without expressed authorisation are prohibited. Offenders will be held liable for payment of damages. All rights created by patent grant or registration of a utility model or design patent are reserved.

<b>Project</b>	VW SIMOS 18.1 EA888
<b>Customer</b>	Audi
<b>Software Version</b>	SC8L5OY0
<b>Date</b>	2014-11-10
<b>Document Key</b>	10213413 SPE 000 DE

	Name	Department	Phone
Designed by	Hirzel, Peter	P ES SE STP RBG1	+49-941-790-4624
Released by	Hirzel, Peter	P ES SE STP RBG1	+49-941-790-4624

Diese Information ist lediglich eine technische Beschreibung des Produktes. Sie stellt keine Beschaffenheits- oder Haltbarkeitsgarantie im Sinne des Paragraphen 443 BGB dar.  
This information is exclusively a technical description of the products. It is not meant or intends to be a special guarantee for a particular quality or durability with regard to section 443 BGB (German Civil Code).

Version history

Document Version	Previous Version	Change Description(including number)
DE	DD	10265863

# Table of Contents

<b>1</b>	<b>Introduction</b>	<b>1039</b>
1.1	System overview	1040
1.2	PIN configuration of connector	1046
1.3	Standard analog inputs	1061
1.4	Definition of logic inputs	1063
<b>2</b>	<b>AIRM-Air motion</b>	<b>1064</b>
2.1	AIRM Configuration data	1065
2.2	Port flap variables	1066
2.3	Port flap position set point actuation signal processing	1073
2.4	Port flap adaptation	1087
2.5	Port flap actuator diagnosis	1093
2.6	Port flap power stage diagnosis	1127
2.7	Port flap power stage diagnosis (Appl. Inc.)	1130
<b>3</b>	<b>AIRT-Air temperature</b>	<b>1132</b>
3.1	AIRT General	1133
3.2	AIRT Configuration data	1136
3.3	AGGR adaptation: AIRT	1143
3.4	Acquisition of air temperatures	1147
3.5	Acquisition of air temperatures (Appl. Inc.)	1150
3.6	Air temperature sensor model (Appl. Inc.)	1154
3.7	Air temperature sensor model	1156
3.8	Ambient air temperature calculation (Appl. Inc.)	1172
3.9	Ambient air temperature calculation	1177
3.10	Intake gas temperature calculation	1198
3.11	Intake gas temperature model at intake manifold	1204
3.12	Intake gas temperature model at intake valve	1215

3.13	Intake gas temperature model at throttle	1223
3.14	Intake gas temperature model at intercooler	1228
3.15	Intake gas temperature model for exhaust gas recirculation	1230
3.16	Intercooler air temperature control	1233
3.17	Signal diagnosis of temperatures delivered by INTC	1234
3.18	Air temperature sensor diagnosis (Appl. Inc.)	1241
3.19	Air temperature sensor diagnosis	1245
3.20	Air temperature sensor diagnosis (ERRM interface)	1252
3.21	Air temperature sensor plausibility diagnosis (Appl. Inc.)	1257
3.22	Air temperature sensor plausibility diagnosis	1260
3.23	Air temperature sensor plausibility diagnosis (ERRM interface)	1270
3.24	Intake gas temperature sensor plausibility diagnosis (Appl. Inc.)	1272
3.25	Intake gas temperature sensor plausibility diagnosis	1275
3.26	Intake gas temperature sensor plausibility diagnosis (ERRM interface)	1287

<b>4</b>	<b>ALFU-Alternative fuel</b>	<b>1289</b>
4.1	ALFU General	1290
4.2	ALFU Configuration data	1292
4.3	Ethanol sensor acquisition	1294
4.4	Engine roughness signal preparation for fuel quality adaptation	1304
4.5	Injection time correction for alternative fuel	1316
4.6	Engine running adaptation (AFU)	1318
4.7	Engine running adaptation (AFU) (Appl. Inc.)	1347
4.8	Lambda based flex fuel ratio detection	1350
4.9	Lambda based flex fuel ratio detection (Appl. Inc.)	1366
4.10	Fuel tank level based flex fuel ratio detection	1369
4.11	Fuel tank level based flex fuel ratio detection (Appl. Inc.)	1389
4.12	Engine roughness based flex fuel ratio detection	1395
4.13	Alternative fuel ratio determination	1396
4.14	Alternative fuel ratio determination (Appl. Inc.)	1405
4.15	Default start strategy	1424

4.16	Engine roughness based fuel quality adaptation	1446
4.17	Ethanol sensor diagnosis	1463
4.18	Ethanol sensor plausibility diagnosis	1466
4.19	ALFU - Controller (gen)	1472
4.20	ALFU - Controller (prj)	1478
<b>5</b>	<b>ARSD-Acquisition and Reporting of Statistical Data</b>	<b>1479</b>
5.1	Cyclic redundancy check calculation algorithm	1480
5.2	ARSD Configuration data for Customer Statistics	1482
5.3	Data recorder	1485
5.4	Customer statistical data	1505
5.5	Customer statistical data (Appl. Inc.)	1531
5.6	Standard data for OBD radar	1541
<b>6</b>	<b>BRSY-Braking system</b>	<b>1553</b>
6.1	BRSY Configuration data	1554
6.2	BRSY General	1556
6.3	Brake servo unit pressure	1560
6.4	Brake servo unit pressure (Appl. Inc.)	1587
6.5	Vehicle stand still detection	1595
6.6	Brake servo unit output	1605
6.7	Brake servo unit pump control	1611
6.8	Brake servo unit pressure sensor diagnosis	1619
6.9	Brake servo unit pressure sensor diagnosis (Appl. Inc.)	1640
6.10	Brake servo unit pump diagnosis	1643
6.11	Brake servo unit pump diagnosis (Appl. Inc.)	1655
<b>7</b>	<b>CBMD-Combustion modes</b>	<b>1656</b>
7.1	CBMD General	1657
7.2	CBMD Configuration data	1660
7.3	Combustion mode switch	1682

7.4	Combustion mode inhibition (Appl. Inc.)	1687
7.5	Combustion mode inhibition	1715
7.6	Combustion state manager	1721
7.7	Combustion state manager (Appl. Inc.)	1730
7.8	Combustion mode prioritisation	1745
7.9	Combustion mode request	1762
7.10	Combustion mode transition factors	1771
7.11	Combustion mode inhibition by minimum injection time (Appl. Inc.)	1775
7.12	Combustion mode inhibition by minimum injection time	1783
7.13	Combustion mode inhibition for scavenging	1803
7.14	Combustion mode summary	1813
7.15	Combustion mode request summary	1820
7.16	Combustion mode switch by diagnosis tool	1822
7.17	Combustion mode switch by diagnosis tool (error management interface)	1828
7.18	Combustion mode management (gen)	1830
<b>8</b>	<b>CEVC-Crankcase evaporation control</b>	<b>1834</b>
8.1	CEVC Configuration data	1835
8.2	AGGR adaptation: CEVC	1837
8.3	Oil dilution model	1839
8.4	Evaporation risk management	1877
8.5	Fuel evaporation model in crankcase	1902
8.6	Limitation of fuel correction from crankcase evaporation	1924
8.7	Evaporation risk management (ERRM interface)	1933
<b>9</b>	<b>CHRA-Charger actuators</b>	<b>1938</b>
9.1	CHRA Configuration data	1939
9.2	CHRA General	1942
9.3	Acquisition of pressure at pneumatic waste gate actuator	1946
9.4	Waste gate actuator pressure	1947
9.5	Recirculation actuator position	1953

9.6	Recirculation actuator position (Appl. Inc.)	1956
9.7	Recirculation actuator position control	1958
9.8	Turbocharger turbine actuator coordination	1960
9.9	Recirculation actuator diagnosis	1968
9.10	Recirculation actuator diagnosis (Appl. Inc.)	1999
9.11	Waste gate electrical diagnosis	2001
9.12	Waste gate electrical diagnosis (Appl. Inc.)	2034
9.13	CHRA adaptation and diagnosis	2037
9.14	CHRA fault operation manager	2119
9.15	CHRA fault operation manager (Appl. Inc.)	2123
9.16	CHRA power stage diagnosis	2125
9.17	CHRA sensor diagnosis	2152
9.18	CHRA actuator diagnosis	2161
9.19	CHRA actuator diagnosis (Appl. Inc.)	2232
9.20	CHRA adaptation and diagnosis (Appl. Inc.)	2239
9.21	CHRA sensor diagnosis (Appl. Inc.)	2242
9.22	Boost pressure actuator diagnosis EOL	2243
9.23	CHRA diagnosis (gen)	2248
9.24	CHRA position control and setpoint (gen)	2253
9.25	Boost pressure actuator operating manager	2267
9.26	CHRA position controller	2297
9.27	Boost pressure actuator safety limitation	2313
9.28	CHRA safety limitation (Appl. Inc.)	2338
9.29	CHRA sensor acquisition	2340
9.30	CHRA anti sticking	2347
9.31	CHRA cleaning	2352
9.32	Actuator temperature model	2356
<b>10</b>	<b>CHRG-Charger</b>	<b>2378</b>
10.1	CHRG Configuration data	2379
10.2	Charge air temperature	2388



10.3	Recirculation mass air flow determination	2400
10.4	Exhaust gas temperature for turbocharger	2403
10.5	Turbocharger compressor environment	2405
10.6	Basic boost pressure adaptation (Appl. Inc.)	2411
10.7	Basic boost pressure	2413
10.8	Basic boost pressure adaptation	2418
10.9	Turbocharger compressor model	2423
10.10	Detection of compressor surge	2432
10.11	Boost pressure limits	2436
10.12	CHRG dummy outputs	2442
10.13	Pressure upstream throttle setpoint	2450
10.14	Pressure upstream throttle setpoint (Appl. Inc.)	2461
10.15	Turbocharger compressor environment setpoints	2468
10.16	Turbocharger protection	2472
10.17	Turbocharger protection (Appl. Inc.)	2477
10.18	Recirculation actuator setpoint determination	2479
10.19	Recirculation actuator setpoint determination (Appl. Inc.)	2497
10.20	Boost pressure control	2499
10.21	Boost pressure control (Appl. Inc.)	2509
10.22	Turbocharger turbine control adaptation	2517
10.23	Waste gate flow setpoint	2524
10.24	Turbocharger turbine control	2527
10.25	Turbocharger turbine control (Appl. Inc.)	2541
10.26	Inverse turbocharger turbine model	2553
10.27	Torque based charge air temperature limitation	2562
10.28	Torque based turbocharger speed limitation	2574
10.29	Turbocharger minimum time control	2586
10.30	Boost pressure display (Appl. Inc.)	2601
10.31	Boost pressure display	2605
10.32	Turbocharger diagnosis	2611
10.33	Turbocharger control plausibility diagnosis	2632

10.34	Turbocharger control plausibility diagnosis (ERRM interface)	2645
10.35	Turbocharger overpressure diagnosis (Appl. Incs.)	2650
10.36	Turbocharger overpressure diagnosis (ERRM interface)	2655
10.37	Turbocharger plausibility diagnosis	2658
10.38	Turbocharger plausibility diagnosis (ERRM interface)	2684
10.39	Turbocharger plausibility diagnosis (Appl. Inc)	2687
10.40	Turbocharger control plausibility diagnosis (Appl. Inc.)	2691
10.41	Recirculation actuator plausibility diagnosis	2701
10.42	Recirculation actuator plausibility diagnosis (ERRM interface)	2719
10.43	Recirculation actuator plausibility diagnosis (Appl. Inc.)	2723
10.44	Turbocharger and pressure sensor EOL diagnosis	2729
10.45	Turbocharger overpressure diagnosis	2733
10.46	Turbocharger and pressure sensor EOL	2736
10.47	Turbocharger and pressure sensor EOL (Appl. Inc.)	2772

<b>11</b>	<b>CUSF-Customer Supplied Functions</b>	<b>2776</b>
-----------	---	-------------

11.1	System variables for customer specified functions	2777
11.2	Interface definitions of customer provided functionality	2789
11.3	Dynamic requirements of customer provided functionality	2920
11.4	Customer reference list	2946
11.5	Customer adaptation module: PWSL	2950
11.6	Customer adaptation module: IGSP	2953
11.7	Customer adaptation module: LACO	2955
11.8	Customer adaptation module: AIRT	2964
11.9	Customer adaptation module: DRRQ	2972
11.10	Customer adaptation module: EGCP	2975
11.11	Customer adaptation module: ENOS	2986
11.12	Customer adaptation module: ENSD	2991
11.13	Customer adaptation module: EVAC	3009
11.14	Customer adaptation module: INSY	3011
11.15	Customer adaptation module: KNCK	3022