

Engine Management System

Simos 8.5 TFSI

D4/C7

Specification

Identification No.:	E150-051.49.01
Version:	16.0
Date:	04/12/2010
Number of Pages:	13002
Revision Code-No.:	
Construction Protocol-No.:	Not available
Baseline:	S859300C

Specification to the customer

Diese Information ist lediglich eine technische Beschreibung des Produktes. Sie stellt keine Beschaffenheits- oder Haltbarkeitsgarantie im Sinne des Paragraphen 443 BGB dar.
 This information is exclusively a technical description of the products. It is not meant or intends to be a special guarantee for a particular quality or durability with regard to section 443 BGB (German Civil Code).

Project: Simos 8.5 TFSI D4/C7


Engineering change number:

Customer: -

Additional document key Not available

Version: 16.0
Date: 04/12/2010
Number of Pages: 13002
Baseline: S859300C

	Name	Department	Phone	Date	Sign
Designed by	Pander, Martin			04/08/2010	
1. Check	Herold, Alexander			04/09/2010	
2. Check	Eizath, Christoph			04/09/2010	
Release by	Herold, Alexander			04/12/2010	


Designed by	Pander, Martin	Date	04/12/2010	Department		Sign	
Released by	Herold, Alexander						
	Designation		Engine Management System				Simos 8.5 TFSI D4/C7
			No german designation available				
		Document key		E150-051.49.01SPE 000 VERSCU		Pages	
						Page 1 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007				A4: 2007-11	

Transmittal, reproduction, dissemination and/or editing of this document as well as utilisation of its contents and communication thereof to others without express authorisation are prohibited. Offenders will be held liable for payment of damages. All rights created by patent grant or registration of a utility model or design patent are reserved.


Contents

1	General information:	575
1.1	Pin reservation of the connector	576
1.2	System overview	581
2	AIRM-Air motion	584
2.1	Port flap variables	585
2.2	Port flap correction	589
2.3	Port flap actuator diagnosis	592
2.4	Port flap power stage diagnosis	606
2.5	Port flap setpoint selection	609
2.6	Adaptation of lower and higher stop of port flap	615
2.7	Port flap actuator diagnosis (Appl. Inc.)	621
3	AIRT-Air Temperature	625
3.1	AIRT Configuration data	626
3.2	Acquisition of sensor voltages within AIRT	629
3.3	Ambient air temperature calculation (Appl. Inc.)	633
3.4	Ambient air temperature TAM	655
3.5	AIRT translation module	678
3.6	Air temperatures at throttle, intake manifold and cylinder (Appl.Inc.)	683
3.7	Air temperatures at throttle, intake manifold and cylinder	687
3.8	Basic air temperature variables	709
3.9	Intake air temperature sensor diagnosis (Appl. Inc.)	725
3.10	Intake air temperature sensor diagnosis	740
3.11	Ambient air temperature sensor diagnosis (Appl. Inc.)	761
3.12	Ambient air temperature sensor diagnosis	767
3.13	Error flags for air temperature sensor diagnosis	783
3.14	Intake air temperature plausibility diag (Appl. Inc.)	796


3.15	Intake air temperature plausibility diagnosis	806
3.16	Ambient air temperature plausibility diagnosis (Appl. Inc.)	827
3.17	Ambient air temperature plausibility diagnosis	835
3.18	Air temp determ (gen)	871
3.19	Air temp OBDI (gen)	883
3.20	Air temp OBDII (gen)	887
<hr/>		
4	BRSY-Braking system	893
4.1	BRSY Configuration data	894
4.2	Brake servo unit pressure sensor diagnosis (Appl. Inc.)	895
4.3	Brake servo unit pump diagnosis (Appl. Inc.)	898
4.4	Brake servo unit pressure	899
4.5	Brake servo unit pressure (Appl. Inc.)	922
4.6	Vehicle stand still detection	930
4.7	Brake servo unit output	936
4.8	Brake servo unit pump control	941
4.9	Brake servo unit pressure sensor diagnosis	946
4.10	Brake servo unit pump diagnosis	967
4.11	Customer adaptation module: BRSY	979
<hr/>		
5	CBMD-Combustion modes	981
5.1	CBMD Configuration data	982
5.2	Combustion state manager	983
<hr/>		
6	CHRA-Charger actuators	999
6.1	Controlling of the recirculation flap	1000
6.2	RFP diagnosis	1008
<hr/>		
7	CHRG-Charger	1018
7.1	Reduced area at recirculation flap	1019
7.2	Adaptation of the recirculation flap	1020

Designed by Pander, Martin		Date April 11, 2010	File N/A
	Baseline S859300C	Project Simos 8.5 TFSI D4/C7	
	Document key E150-051.49.01SPE 000 VERSCU	Pages Page 3 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007	A4: 2007-11

7.3	Recirculation flap setpoint calculation	1045
7.4	Charge air pressure control	1047
7.5	Torque loss supercharger	1074
8	CILC-Cylinder individual lambda control	1075
8.1	Cylinder balancing OBDII diagnosis (Appl. Inc.)	1076
8.2	Cylinder balancing via lambda sensor	1080
8.3	Phase shift adaptation	1166
8.4	Cylinder balancing via lambda sensor (Appl. Inc.)	1180
8.5	Limited dynamics for cylinder individual lambda control	1184
8.6	Cylinder individual lambda control monitoring	1187
8.7	Cylinder balancing OBDII diag	1188
9	CYBL-Cylinder Balancing	1202
9.1	Engine roughness signal preparation for Cylinder balancing	1203
9.2	Cylinder balancing via ignition angle intervention	1222
9.3	Coord. of the injection time correction factors for cylinder balancing	1236
9.4	Coord. of the injection time corr. factors for CYL_BAL (Appl. Inc.)	1238
9.5	Cylinder balancing manager	1239
9.6	Cylinder balancing manager (Appl. Inc.)	1249
9.7	Cylinder bank balancing manager	1260
9.8	Cylinder bank balancing manager (Appl. Inc.)	1270
9.9	Cylinder bank balancing via additive CAM intervention	1281
9.10	CYBL scheduler	1315
9.11	Cylinder bank balancing at EOL	1319
10	DGNC-Diagnostic communication	1334
10.1	General information:	1335
10.2	VAG tester	1341
10.3	Basic settings	1350
10.4	MVB - Measured value blocks general	1353

Designed by Pander, Martin		Date April 11, 2010	File N/A
	Baseline S859300C	Project Simos 8.5 TFSI D4/C7	
	Document key E150-051.49.01SPE 000 VERSCU	Pages Page 4 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007	A4: 2007-11

10.5	MVB - Special blocks	1403
10.6	Application of ECU data via diagnosis tool	1428
10.7	Introduction	1432
10.8	Message structure	1434
10.9	Initialisation and timing	1436
10.10	UDS - SID 10h: diagnosticSessionControl Service	1440
10.11	UDS - SID 10h: diagnosticSessionControl Service (Appl. Inc.)	1443
10.12	UDS - SID 28h: communicationControl Service	1447
10.13	UDS - SID 28h: communicationControl Service (Appl. Inc.)	1449
10.14	UDS - SID 85h: controlDTCSetting Service	1453
10.15	UDS - SID 85h: controlDTCSetting Service (Appl. Inc.)	1455
10.16	UDS - SID 19h: readDTCInformation Service	1458
10.17	UDS - SID 19h: readDTCInformation Service (Appl. Inc.)	1461
10.18	UDS - SID 22h: readDataByIdentifier Service	1477
10.19	UDS - SID 22h: readDataByIdentifier Service (Appl. Inc.)	1480
10.20	UDS - SID 2Fh: inputOutputControlByIdentifier Service	1547
10.21	UDS - SID 2Fh: inputOutputControlByIdentifier Service (Appl. Inc.)	1551
10.22	UDS - SID 31h: routineControl Service	1555
10.23	UDS - SID 31h: routineControl Service (Appl. Inc.)	1558
10.24	UDS - SID 2Eh: writeDataByIdentifier Service	1598
10.25	UDS - SID 2Eh: writeDataByIdentifier Service (Appl. Inc.)	1600
10.26	UDS - SID 3Eh: testerPresent Service	1627
10.27	UDS - SID 27h: securityAccess Service	1629
10.28	UDS - SID 27h: securityAccess Service (Appl. Inc.)	1637
10.29	UDS - SID 11h : ECUReset Service	1642
10.30	UDS - SID 11h : ECUReset Service (Appl. Inc.)	1644
10.31	UDS - SID 14h: clearDiagnosticInformation Service	1645
10.32	UDS - SID 14h: clearDiagnosticInformation Service (Appl. Inc.)	1647
10.33	UDS - SID 23h: readMemoryByAddress Service	1649
10.34	UDS - SID 23h: readMemoryByAddress Service (Appl. Inc.)	1653
10.35	UDS - SID 34h: requestDownload Service	1654

Designed by Pander, Martin		Date April 11, 2010	File N/A
	Baseline S859300C	Project Simos 8.5 TFSI D4/C7	
	Document key E150-051.49.01SPE 000 VERSCU	Pages Page 5 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007	A4: 2007-11

10.36	UDS - SID 36h: transferData Service	1659
10.37	UDS - SID 37h: requestTransferExit Service	1663
10.38	UDS - SID BCh: supplierSpecificRequest Service	1666
10.39	UDS - Service Interpreter (Appl.Inc.)	1669
10.40	UDS - Service Interpreter	1677
10.41	UDS - Basic Communication Layer	1679
10.42	UDS - Basic Communication Layer (Appl.Inc.)	1683
10.43	UDS - SID 87h: LinkControl Service	1686

11 DRPD-Driver request pedals determination 1689

11.1	DRPD Configuration data	1690
11.2	PVS variables	1691
11.3	Brake switch variables	1737
11.4	Driving mode selection via switch	1742
11.5	Error management for pedal value sensor diagnosis	1751
11.6	Kick down switch diagnosis	1763
11.7	Pedal value sensor diagnosis	1766
11.8	Brake switch diagnosis	1815
11.9	Pedal value sensor OBDI (prj)	1822
11.10	Brake switch OBDI (prj)	1823

12 DRRQ-Driver request 1824


12.1	Pedal value interpretation	1825
------	----------------------------	------

13 DRVB-Driveability 1841


13.1	General information:	1842
13.2	DRVB Configuration data	1845
13.3	Sequential fuel cut-off and restart fuel feed parameters	1846
13.4	Sequential fuel cut off and restart fuel feed	1852
13.5	Torque transient load cycle control	1862
13.6	Torque transient parameters	1868

13.7	Torque Transient	1935
13.8	Torque reserve for torque transient	1953
13.9	Anti jerk parameters	1956
13.10	Anti jerk activation conditions	1969
13.11	Anti jerk controller	1975
13.12	Torque reserve for torque transient (Appl. Inc.)	1982
13.13	TQ transient (gen)	1988
13.14	Torque transient (prj)	1991
13.15	Anti jerk (gen)	1994
13.16	Anti jerk (prj)	1995
13.17	Sequential fuel cutoff and restart (gen)	1997
13.18	Sequential fuel cutoff and restart (prj)	1998


14	ECM2-ECU Process Monitoring	1999
14.1	ECU reset service	2000
14.2	General	2002
14.3	Process monitoring	2004
14.4	Debounce mechanism	2006
14.5	Configuration of process monitoring (Appl. Inc.)	2007
14.6	Monitoring of A/D conversion	2078
14.7	Monitoring of TCO	2083
14.8	Monitoring of idle speed controller	2091
14.9	Monitoring of torque losses	2109
14.10	Monitoring of minimum torque at clutch	2119
14.11	Monitoring of maximum torque at clutch	2133
14.12	Monitoring CAN signals	2137
14.13	Monitoring of engine speed	2159
14.14	Monitoring of pedal value signal	2168
14.15	Monitoring of mass air flow signal	2182
14.16	Monitoring of cruise control conditions	2193
14.17	Torque monitoring overview	2214

Designed by Pander, Martin		Date April 11, 2010	File N/A
	Baseline S859300C	Project Simos 8.5 TFSI D4/C7	
	Document key E150-051.49.01SPE 000 VERSCU	Pages Page 7 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007	A4: 2007-11

14.18	Desired indicated engine torque	2215
14.19	Actual indicated engine torque	2220
14.20	Monitoring of actual indicated engine torque	2227
14.21	Monitoring of engine speed limitation	2230
14.22	Processor monitoring by copy of process monitoring	2234
14.23	Fault reaction of process monitoring	2265
14.24	Error memory management of process monitoring	2278
14.25	Error memory management of process monitoring (Appl. Inc.)	2289
14.26	Monitoring of stop/start	2298
14.27	Actual TQl (gen)	2323
14.28	Desired TQl (gen)	2324
14.29	Desired TQl (cus)	2332
14.30	MON CAN signals (cus)	2337
14.31	Monitoring of engine speed limit (gen)	2340
14.32	MON engine speed limit (cus)	2344
14.33	MON of A/D conversion (gen)	2345
14.34	MON of CRU conditions (cus)	2349
14.35	MON of IS controller (gen)	2351
14.36	MON of IS controller (cus)	2361
14.37	MON of MAF signal (cus)	2387
14.38	MON of TCO (gen)	2389
14.39	Monitoring of torque losses (gen)	2391
14.40	MON of TQ losses (cus)	2394
14.41	MON of actual TQl (gen)	2396
14.42	MON of engine speed (gen)	2398
14.43	Monitoring of maximum torque at clutch (gen)	2400
14.44	MON of min TQ at clutch (gen)	2403
14.45	MON of min TQ at clutch (cus)	2408
14.46	MON of pedal value signal (gen)	2411
14.47	Conf of process monitoring (cus)	2418
14.48	Monitoring of Stop-Start (cus)	2420

Designed by Pander, Martin		Date April 11, 2010	File N/A
	Baseline S859300C	Project Simos 8.5 TFSI D4/C7	
	Document key E150-051.49.01SPE 000 VERSCU	Pages Page 8 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007	A4: 2007-11

15	ECM3-ECU Processor Monitoring	2427
15.1	ECM3 Configuration Data	2428
15.2	Processor monitoring general	2437
15.3	MC processor monitoring	2446
15.4	Main controller fault reaction	2470
15.5	MC monitoring of communication between MC and MU	2501
15.6	MC switch-off path check	2514
15.7	Main controller program flow monitoring	2520
15.8	Main controller function specific instruction set test	2537
15.9	MC error memory management	2555
15.10	MC (Appl. Inc.)	2564
16	ECME-ECU Memory	2583
16.1	Non volatile data management, general functionality	2584
16.2	Non volatile data management, configuration	2593
16.3	Non volatile data management, small implementation	2601
16.4	EEPROM diagnosis	2607
17	ECOP-ECU Operation	2610
17.1	ECU warm reset detection (Appl. Inc.)	2611
17.2	ECU warm reset detection	2617
17.3	ECU state detection	2629
17.4	ECU temperature TECU	2635
17.5	Engine runtime calculation	2640
17.6	Engine runtime calculation (Appl. Inc.)	2641
17.7	Wake up function	2645
17.8	Wake up function (Appl. Inc.)	2653
17.9	Power latch management (Appl. Inc.)	2659
17.10	ECU selftest	2661
17.11	ECU selftest	2663
17.12	ECU warm reset diagnosis	2673

Designed by Pander, Martin		Date April 11, 2010	File N/A
	Baseline S859300C	Project Simos 8.5 TFSI D4/C7	
	Document key E150-051.49.01SPE 000 VERSCU	Pages Page 9 of 13002	
Regensburg (RBG)		Copyright (C) Continental AG,2007	A4: 2007-11